Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta ul29pxo

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	DEC 01	ChemPort single article sales feature unavailable
NEWS 3	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS 4	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS 5	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS 6	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS 7	FEB 06	Patent sequence location (PSL) data added to USGENE
NEWS 8	FEB 10	COMPENDEX reloaded and enhanced
NEWS 9	FEB 11	WTEXTILES reloaded and enhanced
NEWS 10	FEB 19	New patent-examiner citations in 300,000 CA/CAplus patent records provide insights into related prior art
NEWS 11	FEB 19	Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01
NEWS 12	FEB 23	Several formats for image display and print options discontinued in USPATFULL and USPAT2
NEWS 13	FEB 23	MEDLINE now offers more precise author group fields and 2009 MeSH terms
NEWS 14	FEB 23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms
NEWS 15	FEB 23	Three million new patent records blast AEROSPACE into STN patent clusters
NEWS 16	FEB 25	USGENE enhanced with patent family and legal status display data from INPADOCDB
NEWS 17	MAR 06	INPADOCDB and INPAFAMDB enhanced with new display formats
NEWS 18	MAR 11	EPFULL backfile enhanced with additional full-text applications and grants
NEWS 19	MAR 11	ESBIOBASE reloaded and enhanced
NEWS 20	MAR 20	CAS databases on STN enhanced with new super role for nanomaterial substances
NEWS 21	MAR 23	CA/CAplus enhanced with more than 250,000 patent equivalents from China
NEWS 22	MAR 30	IMSPATENTS reloaded and enhanced
NEWS 23	APR 03	CAS coverage of exemplified prophetic substances enhanced
NEWS 24	APR 07	STN is raising the limits on saved answers

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,

AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 13:23:51 ON 13 APR 2009

=> file reg
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION
FULL ESTIMATED COST 2.42 2.42

FILE 'REGISTRY' ENTERED AT 13:30:30 ON 13 APR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 12 APR 2009 HIGHEST RN 1133953-33-9
DICTIONARY FILE UPDATES: 12 APR 2009 HIGHEST RN 1133953-33-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10588515.str

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

```
=> s l1
SAMPLE SEARCH INITIATED 13:30:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -       32 TO ITERATE

100.0% PROCESSED       32 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:          301 TO      979
PROJECTED ANSWERS:               0 TO        0

L2            0 SEA SSS SAM L1

=> search l1
ENTER TYPE OF SEARCH (SSS), CSS, FAMILY, OR EXACT:.
ENTER SCOPE OF SEARCH (SAMPLE), FULL, RANGE, OR SUBSET:full
FULL SEARCH INITIATED 13:30:57 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      499 TO ITERATE

100.0% PROCESSED      499 ITERATIONS                               3 ANSWERS
SEARCH TIME: 00.00.01

L3            3 SEA SSS FUL L1
```

```
=> file caplus
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                   185.88     188.30

FILE 'CAPLUS' ENTERED AT 13:31:01 ON 13 APR 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 13 Apr 2009  VOL 150 ISS 16
FILE LAST UPDATED: 12 Apr 2009  (20090412/ED)

Caplus now includes complete International Patent Classification (IPC)
reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s l3
L4           2 L3

=> d l4 fbib ab hitstr 1,2

L4   ANSWER 1 OF 2  CAPLUS  COPYRIGHT 2009 ACS on STN
AN   2008:1260863  CAPLUS
DN   149:533924
TI   Process for preparation of Tamsulosin
IN   Wang, Yuan; He, Xungui; Wu, Jiancai; Chu, Yunbo; Wang, Gang; Zhang,
     Zhongming; You, Qidong
PA   2Y-Chem, Ltd., Peop. Rep. China
SO   Faming Zhuanli Shenqing Gongkai Shuomingshu, 13pp.
     CODEN: CNXXEV
DT   Patent
LA   Chinese
FAN.CNT 1
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ------------------  ----   --------    --------------------   --------
PI   CN 101284807         A     20081015    CN 2008-10043462       20080611
                                             CN 2008-10043462       20080611
OS   CASREACT 149:533924
AB   This invention provides a process for the preparation of Tamsulosin.  For
```

example, p-methoxyphenylacetone was reacted with (R)-phenylethylamine to obtain (αR)-4-methoxy-α-methyl-N-[(1R)-1-phenylethyl]-benzeneethanamine hydrochloride, followed by acylation with chloroacetyl chloride, chlorosulfonation with chlorosulfonic acid, amination with ammonia aqueous solution, reaction with 2-ethoxyphenol, reduction with NaBH4, and
debenzylation by hydrogenation to give Tamsulosin hydrochloride. The process has the advantages of low cost, wide sources of raw materials, and high product purity.

IT 1076239-50-3P 1076239-63-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of Tamsulosin)

RN 1076239-50-3 CAPLUS
CN Acetamide, N-[(1R)-2-[3-(aminosulfonyl)-4-methoxyphenyl]-1-methylethyl]-2-(2-ethoxyphenoxy)-N-[(1R)-1-phenylethyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 1076239-63-8 CAPLUS
CN Acetamide, N-[(1R)-2-[3-(aminosulfonyl)-4-methoxyphenyl]-1-methylethyl]-2-chloro-N-[(1R)-1-phenylethyl]- (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2009 ACS on STN
AN 2005:811734 CAPLUS
DN 143:211719
TI A process for preparation of (R)-(-)-5-(2-aminopropyl)-2-methoxybenzenesulfonamide as an intermediate in the synthesis of tamsulosin
IN Hajicek, Josef; Slavikova, Marketa
PA Zentiva, A. S., Czech Rep.

SO PCT Int. Appl., 20 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005075415	A1	20050818	WO 2005-CZ10	20050203
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
			CZ 2004-197	A 20040205
CZ 295583	B6	20050817	CZ 2004-197	20040205
CA 2554851	A1	20050818	CA 2005-2554851	20050203
			CZ 2004-197	A 20040205
			WO 2005-CZ10	W 20050203
EP 1996544	A1	20081203	EP 2005-700507	20050203
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, HR, LV, YU				
			CZ 2004-197	A 20040205
			WO 2005-CZ10	W 20050203
US 20080319225	A1	20081225	US 2007-588515	20070111
			CZ 2004-197	A 20040205
			WO 2005-CZ10	W 20050203

OS CASREACT 143:211719

AB The invention relates to a process for the preparation of (R)-(-)-5-(2-aminopropyl)-2-methoxybenzenesulfonamide (I) and its use for the preparation of tamsulosin (II). Tamsulosin is a selective inhibitor of α1c adrenergic receptors, which allows its use for treating problems with retention of urine in connection with hyperplasic prostate without affecting blood pressure or heart action. The process allows for the preparation of tamsulosin in 6 steps in an overall yield of 19%, as illustrated below. Condensation of 4-methoxybenzyl Me ketone with (R)-α-methylbenzylamine and hydrogenation gave a single enantiomer of compound III. Release of the free base of III followed by N-acetylation and a one-pot chlorosulfonylation and sulfamidation with ammonia in dichloromethane resulted in the formation of IV. Palladium-catalyzed hydrogenation of IV and acid-catalyzed deacetylation then gave amine I, which was converted to tamsulosin (II) by substitution of 2-(2-ethoxyphenoxy)ethyl bromide. The process of the invention gives considerably higher overall yields of I (38.4%) and II (19.2%) than prior processes (12.4% and 4.6%, resp.).

IT 862307-18-4P, N-[(1R)-2-[3-(Aminosulfonyl)-4-methoxyphenyl]-1-methylethyl]-N-[(1R)-1-phenylethyl]acetamide
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; process for the stereoselective preparation of (aminopropyl)methoxybenzenesulfonamide as an intermediate in the preparation of tamsulosin)

RN 862307-18-4 CAPLUS

CN Acetamide, N-[(1R)-2-[3-(aminosulfonyl)-4-methoxyphenyl]-1-methylethyl]-N-[(1R)-1-phenylethyl]- (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>